



## EPC 4th Edition Equipment List

- 14- or 16-gauge angiocaths, 3.8 cm (1 ½ inch)
- 60-cc locking syringe or Buretrol set
- Adhesive tape
- AED trainer/cardiac monitor with ECG leads, electrodes, and training pads
- Alcohol pads
- Blanket/towels for padding
- Color-coded length-based tape or similar tool
- End-tidal detector and waveform capnography equipment
- ET tube commercial holder device/tape
- ET tubes and stylettes (various sizes)
- Extension tubing
- IO device and training needle (pediatric size)
- IO simulator
- Isotonic solution IV bag (250, 500, or 1000 mL)
- Labeling marker (Sharpie or preferred device)
- Laryngoscope handle and pediatric blades (various sizes)
- Manikin lubricant
- Nasal atomizer device
- Nasopharyngeal and oropharyngeal airways (various sizes)
- Needle decompression simulator
- Oxygen delivery equipment (nasal cannula, nonrebreather mask)
- Oxygen tank (optional)
- Pediatric (infant/child) BVM with mask
- Pediatric (infant/child) manikin with CPR and airway management capabilities (may use infant/pediatric intubation head with infant/pediatric CPR manikin)
- Personal protective equipment
- Rescue airway
- Rhythm generator
- Sharps container
- Stethoscope
- Suction device and catheters
- Syringes (1 mL, 3 mL, 5 mL, and 10 mL)
- Three-way stopcock (optional)
- Various practice medication multidose vials, prefilled syringes, or drug cards filled with expired medication or water, to include:
  - Acetaminophen
  - Adenosine
  - Amiodarone
  - Atropine sulfate



- Diazepam
- Epinephrine, 1 mg/mL and 0.1 mg/mL
- Fentanyl
- Glucose
- Inotropes
- Ketamine
- Ketorolac
- Lidocaine
- Lorazepam
- Magnesium sulfate
- Midazolam
- Naloxone
- Vasopressors